Government of West Bengal
Irrigation & Waterways Directorate
Office of the Chief Engineer & Project Director
State Project Management Unit,
West Bengal Major Irrigation and
Flood Management Project



Jalasampad Bhawan, 9th floor Salt Lake City, Kolkata-700 091

e-mail: ce.pd.wbmifmp@gmail.com

1ST Corrigendum/Addendum dated 21/10/2020 to RFB Reference No. : WBMIFMP/PD/NCB/2020-21/IRR06 Dated 08/10/2020

(Tender ID: 2020_IWD_300218_1, 2020_IWD_300218_2, 2020_IWD_300218_3)

In connection with the REQUEST FOR BIDS (RFB) E-Procurement Notice communicated vide RFB Reference No: WBMIFMP/PD/NCB/20-21/IRR06 Dated: 08/10/2020, the following corrections are made due to some unavoidable circumstances:

Sl. No	Page No.	Reference	In place of	To be read as /Instruction to be followed
(1)	(2)	(3)	(4)	(5)

	1	50 & 51 of	Col.3 in the Table against	i) A minimum number of I. A minimum nu	· _3
		the RFB	the Row with No. 4.2(a)	[One] ⁶ similar contracts satisfactorily and	substantially ⁷ completed as a prime contractor, joint venture
L				specified below that have been	

⁶ Bidders should have completed at least one contract for similar work of value not less than 80% of the estimated contract value of the work for which bids are invited, during the last five years. Cost of completed works of previous years shall be given weightage@5% per year based on rupees value to bring them to the price level of the financial year in which bids are received, as follows

Financial Year	Weightage
Current	1.0
2019-20	1.05
2018-19	1.10
2017-18	1.15
2016-17	1.20
2015-16	1.25

regarding Specific	satisfactorily and substantially member ⁸ , management contractor or subcontractor between 1st April 2015 and bid
Construction &	completed as a prime submission deadline and fulfilling the criteria stated below Lot wise:
Contract Management	contractor, joint venture (i) Lot – 1: One contract, of minimum value (INR 18.01 Cr), with ;
Experience	member ⁸ , management (ii) Lot – 2: One contract, of minimum value (INR 14.32 Cr);
	contractor or subcontractor ⁹ (iii) Lot - 3: One contract, of minimum value (INR 10.30 Cr);
	between 1st April 2015 and bid II. The similarity of the contract stated at I. above, shall be based on the physical size
	submission deadline: as stated below in the Subclause 4.2 (b):
	(i) Lot – 1: One contract, of
	minimum value (INR 18.01
	(Cr);
	(ii) Lot – 2: One contract, of
	minimum value (INR 14.32
	(Cr);
	(iii) Lot - 3: One contract, of
	minimum value (INR 10.30
	(Cr);
	The similarity of the contracts
	shall be based on the
	following: Based on Section
	VII, Scope of Works, specify
	the minimum key requirements
	in terms of physical size,
	complexity, construction
	method, technology and/or
	other characteristics including
	part of the requirements that
	may be met by specialized
	subcontractors, if permitted in
	accordance with ITB 33.2

Substantial completion shall be based on 80% or more works completed under the contract
 For contracts under which the Bidder participated as a joint venture member or sub-contractor, only the Bidder's share, by value, shall be considered to meet this requirement
 For contracts under which the Bidder participated as a joint venture member or sub-contractor, only the Bidder's share, by value, shall be considered to meet this requirement

	£1 4= 50 C	C-12:4 T-11	English about 1 d	For the phase contract standard (20) the sign of the s
2	51 to 53 of	Col.3 in the Table against	For the above and any other	For the above contract stated at 4.2(a) above and any other contract(s) (substantially
	the RFB	the Row with No. 4.2(b)	contracts (substantially	completed and under implementation), as prime contractor, joint venture member, or
			completed and under	sub-contractor between 1st April 2015 and Application submission deadline, a
			implementation), as prime	minimum construction experience required in the following key activities successfully
			contractor, joint venture	completed ¹⁰ :
			member, or sub-contractor	
			between 1st April 2015 and	(i) Lot – 1: Ordinary /Standard concrete (M20 and above) minimum 14632.00
			Application submission	cum and also any type of earthwork, minimum 229000.00 cum, in the contract cited at
			deadline, a minimum	4.2 (a) above and also other similar contract(s) executed during the same period,
			construction experience in the	subject to the following provisions:
			following key activities	(a) There may be separate sets of contracts for demonstrating the quantities of
			successfully completed ¹¹ :	earthwork and concrete work, in case required quantities of both the items
				cannot be fulfilled in any particular contract (s).
			(i) Lot – 1: Ordinary	(b) Each of such contracts should have the minimum executed quantities of either
			/Standard concrete (M20 and	ordinary /standard concrete (M20 and above) or the earthwork, or even both
			above) minimum 14632.00	the items, at least 30 % of the threshold specified for the respective items for
			cum &	the Lot in the particular contract at 4.2(a) above.
			Any type of earthwork	(ii) Lot – 2: Ordinary /Standard concrete (M20 and above) minimum 8797.00
			minimum 229000.00 cum in	cum & any type of earthwork minimum 182000.00 cum, in the contract cited at 4.2 (a)
			One contract.	and also other similar contract(s) executed during the same period, subject to the
			(ii) Lot – 2: Ordinary	
			` '	
			above) minimum 8797.00 cum	
			· · · · · · · · · · · · · · · · · · ·	
			Any type of earthwork	
				<u> </u>
				(iii) Lot – 3: Ordinary /Standard concrete (M20 and above) minimum 6060.00 cum
			. ,	
			`	
				· · · · · · · · · · · · · · · · · · ·
			(ii) Lot – 2: Ordinary /Standard concrete (M20 and above) minimum 8797.00 cum & Any type of earthwork minimum 182000.00 cum in One contract	following provisions: (a) There may be separate sets of contracts for earthwork and concrete and (b) Each of such contracts has the minimum executed quantities of either Ordinary /Standard concrete (M20 and above) or the earthwork, or even both the items, at least 30 % of the threshold specified for the respective items for the Lot in the particular contract at 4.2(a) above.

¹¹ Volume, number or rate of production of any key activity can be demonstrated in one or more contracts combined if executed during same time period.

			(i) Standard /Ordinary concrete as specified in IS 456:2000 (ii) Nominal mix ordinary concrete executed with mix proportion of cement, sand and coarse aggregate by volume not leaner than 1:1.5:3, should be considered as equivalent to M 20, if the grade is not explicitly mentioned in the specific construction experience. Under 4.2(a), specified requirements define similarity of contracts, whereas the key activities to be specified under 4.2 (b) define the required capability of the Applicant to execute the Works. There shall	I. For all the 3 cases, i.e. (i), (ii) & (iii), stated above, (i) Standard /Ordinary concrete as specified in IS 456:2000 (ii) Nominal mix ordinary concrete executed with mix proportion of cement, sand and coarse aggregate by volume not leaner than 1:1.5:3, should be considered as equivalent to M 20, if the grade is not explicitly mentioned in the specific construction experience. II. Under 4.2(a), specified requirements define similarity of contracts, whereas the key activities to be specified under 4.2 (b) define the required capability of the Applicant to execute the Works. There shall not be any inconsistency or repetition of requirement between 4.2(a) and 4.2(b).
			capability of the Applicant to	
3	95 & 96 of the RFB	Appendix to Technical Part Form EXP - 4.2(b):	Form EXP - 4.2(b)	. The Form EXP 4.2(b) is amended in case more than one contract is cited as credential and is attached below as EXP 4.2(b)-Mod, which is to be submitted by the Bidder separately for each of the contracts, <i>including</i> that cited at EXP 4.2(a). above".

Appendix to Technical Part Form EXP - 4.2(b)-Mod: Construction Experience in Key Activities Bidder's Name: _____ Joint Venture Member's Name Subcontractor's Name²¹ (as per ITB 33.2 and 33.3): RFB No. and title: ______of ____pages Subcontractor's Name (as per ITB 33.2 and 33.3): All subcontractors for key activities must complete the information in this form as per ITB 33.2 and 33.3 and Section III, Qualification Criteria and Requirements, Sub-Factor 4.2. Key Activity: (i) Any type of earthwork. Information Contract Identification Award date Completion date Role in Contract Prime Member in Management Sub-JV Contractor Contractor contractor **Total Contract Amount** Rs

²¹ If applicable.

Quantity (Volume in each of the contracts <i>including</i> that cited in EXP 4.2(a)), performed under the contract per year or part of the year in the last 5 years, including the current Financial year. Use this format separately for each of the contracts.	Total quantity in the contract (i)	Percentage participation (ii)	Actual Quantity Performed (i) x (ii)	
Current Year				
Year 1				
Year 2				
Year 3				
Year 4				
Year 5				
Employer's Name ²² :				
Address:				
Telephone/fax number				
E-mail:				

^{22.} Attach certificate from the Engineer-in-charge

4	97 & 98 of the RFB	Appendix to Technical Part Form EXP - 4.2(b):	Form EXP - 4.2(b)	The Form EXP4.2(b) is amended and attached below Mod, as mentioned in Sl no 3 above.	v as EXP 4.2(b)-			
		Appendix	to Technical Part Form	EXP - 4.2(b)-Mod:				
	Construction Experience in Key Activities							
				Bidder's Name: Date: Joint Venture Member's Name				
			Subcontr	actor's Name ²³ (as per ITB 33.2 and 33.3):				
				RFB No. and title:ofof	pages			
All				s per ITB 33.2 and 33.3 and Section III, Qualifi	ication Criteria			
	Key Activity: (i) Ordinary /Standard Concrete (M20 & above) as explained in the Note in Col.3 against Sl.4.2(b) in the Table of Eligibility & Qualification Criteria, Compliance Requirement and Documentation in Section III.							
			Information	ı				
Co	ontract Identific	ation						
A	ward date							
Co	ompletion date							

²³ If applicable.

Role in Contract	Prime Contractor	Meml	V	Management Contractor	Sub- contractor
Total Contract Amount				Rs	
Quantity (Volume in each of the contracts including that cited in EXP 4.2(a)), performed under the contract per year or part of the year in the last 5 years, including the current Financial year. Use this format separately for each of the contracts.	Total quantin the contra		P ercenta	ge participation (ii)	Actual Quantity Performed (i) x (ii)
Current Year					
Year 1					
Year 2					
Year 3					
Year 4					
Year 5					
Employer's Name ²⁴ :				<u> </u>	
Address: Telephone/fax number E-mail:					

²⁴Attach certificate from the Engineer-in-charge

5.	121 of RFB 160 of RFB	BOQ/LOT-1 Sl no-35 (Sl no is same in uploaded BOQ.xls file on NIC Portal) BOQ/LOT-2 Sl no-34 (Sl no is same in uploaded BOQ.xls file on NIC Portal)	"Cost of stone / laterite boulder at quarry site including Royalty (Royalty certificate in original from competent authority are to be submitted along with the bill, otherwise amount due towards Royalty of stone/laterite boulder will be deducted from the bills of works). a) Panchami source (Each weighing	Cost of stone / laterite boulder at working site including Royalty (Royalty certificate in original from competent authority are to be submitted along with the bill, otherwise amount due towards Royalty of stone/laterite boulder will be deducted from the bills of works) & including loading, unloading & carriage up to site. a) Panchami source (Each weighing 25 kg & above)
	192 of RFB	BOQ/LOT-3 Sl no-35 (Sl no is same in uploaded BOQ.xls file on NIC Portal)	25 kg & above)"	
6.	129 of RFB	BOQ/LOT-1 Sl no-69 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Rebar fastening with MS 16mm dia. anchor bar embedment of 200mm making holes in the concrete slab/ Brick work in dry or wet condition including dewatering if required, by different type of machinery like Hammer drill,	Rebar fastening with MS 16mm dia. anchor bar embedment of 200mm making holes in the concrete slab/ brick work in dry or wet condition including dewatering if required, by different type of machinery like Hammer drill, Dispenser, Holder, Blowout Pump and Consumables, Drill Bits, Chemical Adhesive complete with all material, labour, plant equipment and cost of Rebar up to a total length of 1.0 Mtr.
	167 of RFB	BOQ/LOT-2 Sl no-64 (Sl no. is same in uploaded BOQ.xls file on NIC Portal) BOQ/LOT-3 Sl no-65	Dispenser, Holder, Blowout Pump and Consumables, Drill Bits, Chemical Adhesive complete with all material, labour, plant equipment.	
	200 of RFB	(Sl no. is same in uploaded BOQ.xls file on NIC Portal)		
7.	144 of RFB	BOQ/LOT-1 Sl no-123 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Plain / Reinforced Cement Concrete in Substructure with coarse aggregates of appropriate nominal size and grading, fine aggregate (sand) conforming to proper grading zone, both of approved quality, cement and water reducing admixtures, as necessary, including labour, cost and carriage	Plain / Reinforced Cement Concrete in Substructure with coarse aggregates of appropriate nominal size and grading, fine aggregate (sand) conforming to proper grading zone, both of approved quality, cement and water reducing admixtures, as necessary, including labour, cost and carriage of all materials and including preparation of design mix, approval of the same by the Engineer-in-Charge and cost for quality control, sampling, testing etc. all complete as per drawing and technical specification including the cost of necessary form work and staging complete as per drawing and technical specifications.

	175 of RFB 215 of RFB	BOQ/LOT-2 Sl no-92 (Sl no. is same in uploaded BOQ.xls file on NIC Portal) BOQ/LOT-3 Sl no-117 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	of all materials and including preparation of design mix, approval of the same by the Engineer-in-Charge and cost for quality control, sampling, testing etc. all complete as per drawing and technical specification including the cost of necessary form work and staging complete as per drawing and technical specifications. A PCC Grade M20 (i) Height upto 5m (Including cost of core test.) [Note: From durability consideration, the value of minimum cement content and maximum water cement ratio to be considered in the mix design shall be as per Table 5 of IS: 456]	A. PCC Grade M20 Height up to 5m (Including cost of core test and cost of 5.6mm downgraded stone chips at working site to be compacted properly for filling the gaps up to maximum width of 12mm between the adjacent slab, where required.) [Note: From durability consideration, the value of minimum cement content and maximum water cement ratio to be considered in the mix design shall be as per Table 5 of IS: 456]
8.	119 of RFB	BOQ/LOT-1 Sl no-28 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Epoxy bonding of new concrete to old concrete	Epoxy bonding of new concrete / brickwork to old concrete / brickwork
	159 of RFB	BOQ/LOT-2 Sl no-29 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)		
	190 of RFB	BOQ/LOT-3 Sl no-28 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)		
9.	129 of RFB	BOQ/LOT-1 Sl no-70 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Making gauge150mm.Wide and 25mm.Thick with sand and cement mortar (1:3) on profile	Making gauge for 150mm wide and 25mm thick in 1:3 cement plaster including making divisions of a metre / foot as directed and painting with approved cement paints and

	167 of RFB 200 of RFB	BOQ/LOT-2 Sl no-65 (Sl no. is same in uploaded BOQ.xls file on NIC Portal) BOQ/LOT-3 Sl no-66 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	wall face or any other place including neat cement finish and coloured lettering with water proof paint in CGS/FPS unit or any lettering as necessary as per direction of Engineer-in-charge with supply and carriage of all materials to site.	painting numerical complete as per direction of the Engineer-in— charge with supply and carriage of all materials to site.
10.	125 of RFB	BOQ/LOT-1 Sl no- 57.01, 57.02, 57.03 58.01, 58.02, 58.03 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Above 5 km up to 10 km (per km) Above 10 km up to 20 km (per km)	Above 5 km up to 10 km Above 10 km up to 20 km Above 20 km up to 50 km
	164 of RFB	BOQ/LOT-2 Sl no- 54.01,54.02,54.03 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)	Above 20 km up to 50 km (per km)	
	196 of RFB	BOQ/LOT-3 Sl no- 55.01,55.02,55.03 (Sl no. is same in uploaded BOQ.xls file on NIC Portal)		
11.	337 of RFB	Annexure II: Package Specific ESMP& Contractor's ESHS- MSIP	1. Package Specific ESMP provided to facilitate the Contractor to prepare its own ESHS-MSIP (as per format given in Appendix II/12 of this Annexure II) comprises the following:	1. Package Specific ESMP provided to facilitate the Contractor to prepare its own ESHS-MSIP (as per format given in Appendix II/15 of this Annexure II) comprises the following: