

GOVERNMENT OF WEST BENGAL IRRIGATION & WATERWAYS DIRECTORATE Office of The Sub-Divisional Officer, Edilpur Irrigation Sub-Division, Edilpur, Purba Bardhaman, Email: edilpursubdivision@gmail.com

NOTICE INVITING QUOTATION NIQ NO 06/ Edilpur of 2017 -2018

Memo No. 11

Dated. 10.01.2018

Sealed quotations for rates are hereby invited by the Sub-Divisional Officer, Edilpur Irrigation Sub-Division, Edilpur, Purba Bardhaman, Irrigation & Waterways Directorate from the bonafide agencies dealing with interior decoration of bungalow in connection to the work "Construction of Epoxy flooring, P.V.C (Polywood) wall paneling and false ceiling at Room no-1 & 2 of Palla Inspection Bungalow in Palla, Dist- Purba Bardhaman within the Jurisdiction of Edilpur Irrigation Sub-Division under Damodar Canal Division." as per enclosed schedule.

Interested quotationers are required to apply for quotation papers to the undersigned enclosing all papers satisfying the eligibility criteria as given below:-

Eligibility criteria :

1. The quotationar having experience of dealing with similar type of work in any Government/Government undertaking/Public sector, Zilla Parishad etc [Agency has to furnish self attested copy of such supply order/completion certificate etc] will be preferable.

2. The intending quotationer should apply for quotation papers in respective Letter Heads enclosing self attested photocopies of valid Trade License, PAN , valid PT,VAT / GST , IT etc. as applicable.

Time schedule of quotation

 Last date & time of receiving application: Last date & time of collecting quotation paper: 	24.01.18 25.01.18	up to 2:00 p.m. up to 2:00 p.m.
3) Last date & time of dropping quotation paper:4) Date & time of opening quotation:	29.01.18 29.01.18	up to 2:00 p.m. after 2:30 p.m.

Terms and Conditions :

- The schedule of item and other documents are to be collected by the eligible quotationer free of cost from the office of the Sub-Divisional Officer, Edilpur Irrigation Sub-Division, Edilpur, Purba Bardhaman, Irrigation & Waterways Directorate. Before submission of quotation interested quotationers are requested to visit the Survey sites under the guidance of departmental Surveyors.
- 2) The eligible quotationers should quote their rate both in figures and in words. Any correction in the rates must be duly signed by the quotationers and each page of the schedule are to be signed by the quotationer along with his seal.
- 3) No quotation paper will be submitted by post / e-mail / fax
- 4) No quotation paper will be issued after expiry of date and time mentioned above.
- 5) Duly filled up sealed quotation as supplied from this office is to be submitted with a forwarding letter to the office of the undersigned.
- 6) Accepting Authority i.e. The Superintending Engineer, Damodar Irrigation Circle, I.&W. Directorate, reserves the right to accept or reject any or all quotations without assigning any reasons whatsoever.
- 7) Informal / conditional quotation is liable to summarily rejected.
- 8) Any letter or other instrument submitted separately in modification of sealed quotation may not be entertained.
- 9) The successful quotationer will have to execute a formal agreement within 7(Seven) days in WBFR No. 2911
- with this office with submission of earnest money as per existing G.O.
- 10) Rate should be quotated inclusive of all taxes

Copy forwarded for information and wide circulation to the :-

- 1. Sabhadhipati, Zilla Parishad, Purba Bardhaman.
- 2. Chief Engineer- (West), Irrigation & Waterways Dte. Kanainatsal, Purba Bardhaman.
- 3. Superintending Engineer, Damodar Irrigation Circle, Kanainatsal, Purba Bardhaman.
- 4. District Magistrate, General Section, Administrative Building, 2- nd. Floor, Court Compound, Purba Bardhaman.
- 5. Executive Engineer, Damodar Canal Division.
- 6. Executive Engineer, B.I Division.
- 7. District Information Officer, Burdwan for publication in local News paper (in duplicate)
- 8. Deputy Secretary Vigilance Commission, Kolkata-91.
- 9. Office Notice Board, Edilpur (I)Sub-Division.
- 10. Office Notice Board, Damodar Irrigation Circle.
- 11. Accounts Section of D.C. Division
- 12. All Sub Divisional Office of D.C. Division

Sub-Divisional Officer, Edilpur(I) Sub-Division.



GOVERNMENT OF WEST BENGAL IRRIGATION & WATERWAYS DIRECTORATE Office of The Sub-Divisional Officer, Edilpur Irrigation Sub-Division, Edilpur, Purba Bardhaman, Email: edilpursubdivision@gmail.com

NIQ NO:-06/Edilpur of 2017-2018

Schedule for the work :- -" Construction of Epoxy flooring, P.V.C (Polywood) wall paneling and false ceiling at Room no-1 & 2 of Palla Inspection Bungalow in Palla, Dist- Purba Bardhaman within the Jurisdiction of Edilpur Irrigation Sub-Division under Damodar Canal Division.

SL	Description Items	Quantity	Unit	Rate	Amount(Rs)
no.	·	. ,			
1.	Epoxy flooring systems by SiMCO, a global standard with heavy-duty performance, these flooring systems offers excellent mechanical strength, wear-resistance and chemical resistance. Although seamless floors, by definition, are aesthetically pleasing, colour and design. Rather, functionality and delivering long-lasting performance are where these floors excel. Choose from smooth, textured, broadcaster (slip-resistant) and mortar finishes ensuring the usability, safety and cleaning regime best fitting. This will find special solutions with extremely high chemical resistance; solutions approved for clean room usage; and electrostatic discharging, dissipation and electrically conductive flooring. Epoxy Flooring is a combination of 2 part epoxy resin with 1 part epoxy hardener, pigments and self levelling resin. After the completion the thickness achieves will be 4mm to 5mm.	54.00 sq.m.	Sq.m		
2	Wall panelling with waterproof, termite-proof and have maintenance free long life, 9mm thickness and 300mm width P.V.C.(POLYWOOD PROFILE). Panels are non-porous and non-absorbent, thus help in safe fitting of lighting, access hatches and air-vents. If required these panels can be easily uninstalled to relocate from one place to another. Including removing the existing old, damaged false ceiling, carriage, fitting and fixing at site as per direction of Engineer-in-charge.	144.00 sq.m.	Sq.m		
3	False ceiling with waterproof, termite-proof and have maintenance free long life, 9mm thickness and 300mm width P.V.C.(POLYWOOD PROFILE). Panels are non-porous and non-absorbent, thus help in safe fitting of lighting, access hatches and air-vents. Including removing the existing old damaged false ceiling, carriage, fitting and fixing at site as per direction of Engineer-in-charge.	54.00 sq.m.	Sq.m		
				Total =	