

GOVERNMENT OF WEST BENGAL

Irrigation & Waterways Directorate, Office of the Sub-Divisional Officer, Sub-Division No. - II

RIVER RESEARCH INSTITUTE, WEST BENGAL.

Haringhata Central Laboratory, P.O.-Mohanpur, Dist.-Nadia.

NOTICE INVITING QUOTATION

N.I.O. No- 04/SDO-II/RRI/HCL of 2019-20 dt.25.10.2019

Memo No. 233

Date: 25.10.19

Sealed quotations for the work Collection of rate for "Supply & Installation of Optical Fibre Cable for CC camera at main entry gate of River Research Institute, Mohanpur, Nadia excluding GST but including other charges complete" as per Annexed proforma are invited by the SDO-II, RRI, HCL, as instructed by higher authority from reliable resourceful Bonafide agencies .Intending quotationers may have prescribed forms, notice & other particulars for the above works from the office of the undersigned as per the following schedule.

SI.No.	Particulars	Date	Time
1.	Last date & time for submission of prayer for issue of quotation paper	01.11.2019	Up to 16.00Hrs.
2.	Date of issue of quotation papers	05.11.2019	Up to 16.00 Hrs.
3.	Last date of receiving quotation papers	06.11.2019	Up to 15.00 Hrs.
4.	Date and time for opening quotation	06.11.2019	At 15:30 Hrs.

Terms and Conditions:

1. All quotationers will submit their quotations in printed schedule attached.

2. The intending quotationer must quote the rate clearly both in words & figures.

- 3. Intending quotationers should apply for quotation papers in their respective letter heads enclosing self attested copies of the documents.
- 4. The undersigned reserves the right to accept or reject any or all the quotations without assigning any reason whatsoever.
- 5. The rate should be excluding GST but including other charges complete.
- 6. Any material not up to standard quality & satisfaction shall be replaced.
- 7. The quotationer may remain present at the time of the opening of the quotation.
- 8. The quotationers are requested to submit all the requisite documents such as P-Tax Clearance, Valid 15 digit Good & Service Tax payer Identification Number (GSTIN), Trade Licence, PAN Etc. at the time of submission of the application.
- 10. No conditional Offer/Proposal shall be accepted and deemed as informal.

Enclose. - Proforma for quoting rates - One copy.

River Research Institute, HCL, Mohanpur, Nadia

Govt. of West Bengal

Date: 25.10.19 Memo No. 233 /1(5)

Copy for information to the:

1. The Director, River Research Institute, Haringhata Central Laboratory, Mohonpur, Nadia-741246.

2. The Executive Engineer (S.D.P.), R.R.I., H.C.L., Mohonpur,

3. Divisional Accountant, R.R.I., H.C.L., Mohonpur, Nadia.

4. Divisional Estimator, R.R.I., H.C.L., Mohonpur, Nadia.

5. Notice Board, R.R.I., HCL.

River Research Institute, HCL, Mohanpur, Nadia Govt. of West Bengal



GOVERNMENT OF WEST BENGAL

Irrigation & Waterways Directorate,
Office of the Sub Divisional Officer
Sub Division II
Sunderban Delta Project

RIVER RESEARCH INSTITUTE, WEST BENGAL.

Haringhata Central Laboratory, P.O.–Mohanpur, Dist.–Nadia, PIN- 741246.

PROFORMA FOR QUOTING RATE

N.I.Q. No- 04/SDO-II/RRI/HCL of 2019-20 dt 25.10.2019.

Name of Work: Collection of rate for "Supply & Installation of Optical Fibre Cable for CC camera at main entry gate of River Research Institute, Mohanpur, Nadia excluding GST but including other charges complete"

Sl. No.	Description of Item	Qty.	Unit	Amount in Rs. (Excluding GST) (Figures/words)	Total Amount in Rs. (Excluding GST) (Figures/words)
1	Supply of Optical Fibre cable 6 core steel armored single mode OS2 (9.2/125um) as per Direction of Engineer -in- Charge. (Make: Commscope/R&M/Panduit)	1200	mtrs		
2	Supply of SC/SC duplex SM patch cord (LSZH Jacket) – 3 mtrs. as per Direction of Engineer -in- Charge. (Make: Commscope/R&M/Panduit)	03	Nos.		
3	Supply of SC/SC duplex SM patch cord (LSZH Jacket) – 2 mtrs. as per Direction of Engineer -in- Charge. (Make: Commscope/R&M/Panduit)	03	Nos.		
4	Supply of OFC to Ethernet Gigabit Media Converter Duplex unit as per Direction of Engineer -in- Charge. (Make: Mrotech or equivalent)	03	Nos.		

5	Supply of Cat6 U/UTP patch cord – 2 mtrs as per Direction of Engineer -in- Charge. (Make: Commscope/R&M/Panduit)	03	Nos.	
6	Installation and laying charges for Optical fibre cable including all necessary fitting & joining materials as required, leveling up and restoring the surface duly rammed as per Direction of Engineer -in- Charge.	1000	mtrs	
7	Splicing charges for optical fibre cable as per Direction of Engineer -in- Charge.	01	Job	

Sub -Divisional Officer, Sub-Division No.-II, River Research Institute, HCL, Mohanpur, Nadia.

Signature of the Quotationer with seal